EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/03/23 12:59
L6	0	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:59
L7	1	@ad<="20030917" (station near8 unavailabl\$5) same messag\$4 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:59
L8	0	@ad<="20030917" (base near4 station) wiht unavailabl\$5 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:00

L9	0	@ad<="20030917" (base near4 station) with unavailabl\$5 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:00
L10	0	@ad<="20030917" (base near4 station) with unavailab\$5 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:00
L11	2	@ad<="20030917" (base near4 station) same unavailab\$5 maho	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:01
L12	110	@ad<="20030917" maho mobile with switch near5 station \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L13	63	@ad<="20030917" maho mobile with switch near2 station \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L14	63	@ad<="20030917" maho mobile with (switch near2 station \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02

L15	0	@ad<="20030917" maho mobile with (switch near2 station \$2) target with unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L16	0	@ad<="20030917" maho mobile with (switch near2 station \$2) cell with unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L17	0	@ad<="20030917" maho mobile with (switch near2 station \$2) station with unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L18	13	@ad<="20030917" maho mobile with (switch near2 station \$2) station with busy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:02
L19	12	@ad<="20030917" maho mobile with (switch near2 station \$2) station with busy 455/415,417,426.1,439,456.1,522,552.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:46
L20	4	@ad<="20030917" maho mobile with (switch near2 station \$2) station with busy 370/319,320,321,323,331,332,333,335,342.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 13:48

S1	32	@ad<="20030917" mobile (data near3 transmission) with terminate forward near2 link	US-PGPUB; USPAT	AND	OFF	2007/11/12 12:49
S2	12	@ad<="20030917" mobile (data near3 transmission) with terminate forward near2 link handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 12:59
S3	0	@ad<="20030917" mobile (data near3 transmission) (terminate with message) same (forward near2 link) handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:00
S 4	0	@ad<="20030917" mobile (data transmission) (terminate with message) same (forward near2 link) handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:01
S 5	26	@ad<="20030917" mobile (data transmission) (terminate with message) same forward handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:01
S6	1	"20030134636".did.	US-PGPUB; USPAT	AND	OFF	2007/11/12 14:57
S7	0	sayeedi-shahab,in,	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54
S8	0	sayeedi-shahab.in.	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54
S9	36	sayeedi-shahab-m.in.	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54
S10	34	sayeedi-shahab-m.in. base near station\$2	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:55
S11	34	sayeedi-shahab-m.in. base near station\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:03
S12	1	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) with unavailable	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:10
S13	78	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) with (unavailable near5 indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:13
S14	7	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) unavailable with (indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:13

S15	15	@ad<="20030917" mobile target near4 cell unavailabl\$5 with (indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:15
S16	15	@ad<="20030917" mobile target near4 cell unavailabl\$5 with (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:15
S17	7	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) unavailable with (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:15
S18	9	@ad<="20030917" mobile (target near4 cell) same unavailabl\$5 (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:23
S 19	9	@ad<="20030917" mobile (target near4 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
\$20	9	@ad<="20030917" mobile (target near7 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31

\$21	43	@ad<="20030917" (target near7 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
\$22	9	@ad<="20030917" (target near7 cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
\$23	4	@ad<="20030917" (target near7 site) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
\$24	53	@ad<="20030917" (target near7 site) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:32
\$25	53	@ad<="20030917" (target near7 site) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33
\$26	4	@ad<="20030917" (target near7 site) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33

\$27	12	@ad<="20030917" (target near7 station) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33
\$28	9	@ad<="20030917" (target near7 cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
\$29	9	@ad<="20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
S30	4	@prad<= "20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
S 31	1	@rlad<="20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:55
S 32	3	@ad<="20030917" (target with cell) same unavailabl\$5 wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:55

S33	3	@ad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:56
\$34	0	@prad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57
\$35	1	@rlad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57
\$36	7	@ad<="20030917" (target with cell) same unavailabl\$5 call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57
837	0	@ad<="20030917" (target with cell) (unavailabl\$5 near5 indicat\$5) with send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24
S38	0	@ad<="20030917" (target with cell) (unavailabl\$5 near5 message) with send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24

S39	34	@ad<="20030917" (target with cell) (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24
S40	7	@ad<="20030917" (target with cell) same (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:25
841	4	@ad<="20030917" (destination with cell) same (unavailabl \$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:26
S42	164	@ad<="20030917" (destination or target) same (unavailabl \$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:27
843	39	@ad<="20030917" (destination or target) same (unavailabl \$5 near5 indicat\$5) mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:27
S44	182	@ad<="20030917" (destination or target) same (unavailabl \$5) base with station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38

S 45	173	@ad<="20030917" (destination or target) same (unavailabl \$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
S46	68	@ad<="20030917" (destination or target) with (unavailabl \$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
S47	50	@ad<="20030917" (destination or target) near5 (unavailabl \$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
S48	5	@ad<="20030917" (target near8 station near5 unavailabl \$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48
S 49	0	@ad<="20030917" (target near8 cell near5 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48
S50	0	@ad<="20030917" (target near8 cell near8 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48

S51	31	@ad< = "20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:49
\$52	0	@ad<="20030917" (forward near link\$4) with (no near2 supported)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
S53	838	@ad<="20030917" (forward near link\$4) with (support\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
S54	0	@ad<="20030917" (forward near link\$4) with (support\$3) mobile uhdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
S 55	0	@ad<="20030917" (forward near link\$4) with (support\$3) uhdm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
S 56	0	@ad<="20030917" (forward near link\$4) with (support\$3) universal near2 handoff near2 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:29

S57	5	@ad<="20030917" (forward near link\$4) with (support\$3) universal near3 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:29
S58	2	@ad<="20030917" (forward near link\$4) with (support\$3 near8 target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:30
S59	2	@ad<="20030917" (forward near4 link\$4) with (support\$3 near8 target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:30
S60	7	@ad<= "20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile 370/319,320,328,329,331,332-335,338,342.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:42
S61	10	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile 455/450,452.2,453,436,437,439. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:44
S62	0	@ad<="20030917" (target near5 unavailabl\$5) same (base near2 station near5 notificat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/09/29 11:58

S63	0	@ad<="20030917" (target near5 unavailabl\$5) same (base near5 notificat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/09/29 11:58
S64	0	@ad<="20030917" (target near5 unavailabl\$5) same (base near5 notificat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 11:58
S65	8	@ad<="20030917" unavailabl\$5 same (base near5 notificat \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 11:58
S66	2	@ad<="20030917" unavailabl\$5 same (base near5 station \$2 near5 notificat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 11:58
S67	8	@ad<="20030917" unavailabl\$5 same (base near5 notificat \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:01
S68	3	@ad<="20030917" unavailabl\$5 same (target near5 station) notificat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:02

S 69	3	@ad<="20030917" unavailabl\$5 same (target near5 station \$2) notificat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:03
S70	3	@ad<="20030917" unavailabl\$5 same (target near5 station \$2) notif\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND ON		2009/09/29 12:04
S71	185	@ad<="20030917" unavailabl\$5 same (base near5 station \$2) notif\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:04
S72	83	@ad<="20030917" unavailabl\$5 same (base near5 station \$2) notificati\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:04
S73	83	@ad<="20030917" unavailabl\$5 same (base near2 station \$2) notificati\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:04
S 74	36	@ad<="20030917" unavailabl\$5 with (base near2 station\$2) notificati\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/29 12:04

EAST Search History (Interference)

Ref #	Hits	Search Query		Default Operator		Time Stamp
L21	10	maho mobile with (switch near2 station\$2) station with	USPAT; UPAD	AND	OFF	2010/03/23 13:49
		busy				

3/23/2010 2:04:31 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings} \ \, \textbf{rjain1} \ \, \textbf{My Documents} \ \, \textbf{EAST} \backslash \ \, \textbf{Workspaces} \backslash \ \, \textbf{10728052.wsp}$